

## WARRANTY

## **Material Warranty Application Instructions**

(For Material Warranties of 1 to 5 years only)

Please follow the terms and conditions below for Polyguard's Material Warranty (up to 5 years) project needs.

The following documentation & information is required:

- A completed Architectural Warranty Application
  - a. Complete all sections of the warranty application:
    - 1) Project & Project Type
    - 2) 3) Owner (include all contact info)
    - Installer (include all contact info)
    - 4) Architect/Engineer (include all contact info)
    - 5) Consultant (include`all contact info) (If there is no consultant on the project, please list "N/A")
    - 6) General Contractor (include all contact info)
    - Distributor (include all contact info) Type and Amount of Material Used 7)
    - 8)
    - **d**) Accessories
      - Include all accessories required with the system including quantities of drainboard or protection board when required. If protection or drainboard is by others then note what was used in the additional notes section on page 2 of the application.
    - 10) Surfaces/Substrates
    - 11) Dates
      - 11a. Installation Completion Date 11b. Substantial Completion Date\*
        - NOTE: these 2 dates will not be the same date.
          - \* When needing a warranty by Substantial Completion Date per statement on Specification, both dates are required.
    - 12) Specification Requirement acknowledgment
    - 13) Warranty Requested (select term according to specification requirement)
    - 14) Email Address for Warranty Issuance
    - 15) Signature (complete entire section)
- A copy of the Project Specification. The completed Warranty Application & Specification must be submitted to archtech@polyguard.com before Polyguard reviews and commits to providing the warranty.
- Verification that the distributor has been paid by the contractor for installed products. (As a courtesy to our distributors, Polyguard will contact the distributor)
- The applicator shall have at least three (3) years of experience in applying the types of specified • materials; and specifically accepted in writing by Polyguard Technical Services Department. Certain projects may require Polyguard's applicator training.
- Polyguard products and accessories shall be installed as part of the system and according to manufacturer specifications, recommendations and details. System products not supplied by Polyguard require written approval by Technical Services Department prior to installation.

Please DO NOT use this application for:

- Material Warranties less than 5 years\*
- Material & Labor Warranties

\*Email our Technical Services Department at archtech@polyguard.com for required application.





## 1 to 5 YEAR MATERIAL ONLY PRODUCT WARRANTY FORM

Warranty issue date will be based upon completed application of these products.

		Project Type (check one)			
Email the completed form to	o: archtech@polyguard.com 1			11	Military facilities
1. Project:	2		Parking garages	12	Churches
¥	3		Office bldgs/hdqtrs	13	Retail
	4		Stadiums / Arenas	14	Residential-single*
City, State and Zip:	5		Entertainment Complex	15	Residential-multi *
2. Owner:	6		Medical	16	Industrial
Owner:	7		Schools/Universities	17	Hotels / Motels
	8		Convention Centers	18	Utilities
	9		<b>Government Facilities</b>	19	Other – not listed
	10	A	Airports		
	*No warranties are issued for Underslab, Blind	dside	e or 650 PRM on residential projects		
3. Installer:					
Firm:					
Attention:			Phone:		ext:
4. Architect / Engine	eer:				
Firm:					
Street Address:					
Attention:			Phone:		ext:
5. Consultant:					
Firm:					
Street Address:					
City, State and Zip:					
Attention:			Phone:		ext:
6. General Contracto	or:				
Firm:					
Street Address:					
City, State and Zip:					
Attention:			Phone:		ext:
7. Distributor:					
Attention:			Phone:		ext:



8. Type and Amount of Mat	erial Used:			
Product Used	Application Type (please specify by type listed below)	τ	J / M	Quantity
	Elevator, Foundation, Mechanical Interior, Plaza/Deck, Tunnel, Other	(describe)		
Fluid-Applied Air Barrier:	Application Type			
Stretch Flore	Batch #(s) (required)		_	
Stretch Flex:	Batch #(s) (required)	S	q. Ft	
Airlok Flex VP:		S	q. Ft	
:	Batch #(s) (required)	S	a. Ft.	
	Batch #(s) (required)			
: <u> </u>			q. Ft	
Fluid-Applied Waterproofing	Batch #(s) (required)			
Stretch Flex:		S	q. Ft	
	Batch $\#_{(s)}$ (required)	s	a Ft	
· <u> </u>				
Sheet-Applied Waterproofing	: Application Type			
	Horizonal Application Vertical Application			
Underslab Membrane:	Horizonal Application Vertical Application	S	q. Ft	
Blindside Membrane:		S	q. Ft.	
650 Membrane:	Horizonal Application Vertical Application	s	a Et	
	Horizonal Application Vertical Application			
650 PRM:	Horizonal Application Vertical Application	S	q. Ft	
650 WRM:		S	q. Ft	
Balconyguard Membrane:		S	a Ft	
		5		
Other:	Application Type			
Other (Explain):		c	Sa Et	
Other (Explain):		2	эq. гt	
Air Barrier Sheet Membrones	40-mil Membranes: Airlok Sheet 400 NP Size: 6" 9" 12" 18" 24" 30			
Sheet Membranes:	Airlok Sheet 400 HT/NP Size: 36"   Airlok Sheet UV Ultra 400 NP Size: 6" 9" 12" 36"	Sq. Ft. Sq. Ft.		
		Sq. Ft. 6" Sq. Ft.		

Additional Information: (Please use this area for any info not requested such as drainage board by others used or specific info to help process the warranty. Any missing information will delay the process)



Type of Acces	ssory Product Us	ed		U / M	Quantity
Primers, Sealants,	Detail Sealant PW:		3 gal. pail		Quantity
Adhesives, Detailing:	650 LT Adhesive:		5 gal. pail	can/pail	
	California Sealant:		5 gal. pail	^ ii	
	650 WB Liquid Adhesive:	č	5 gal. pail	^ ii	
LM-85 §	SSL (2-part liquid membrane):	- <u>8</u>		5 gal. pail	
	rt fast-cure liquid membrane):			2 gal. pail	
(= <u>r</u>	Other Polyguard Product:	Product Name:			
Drainage:	Polyflow BD:		han 3" of concrete and foot traffic or		
	Polyflow 15:	or Polyflov	w 15-P	Sq. Ft.	
	D-1-41 19.			Sq. Ft.	
	Totalflow:				
Other Polyguard Drainage (list name):			C - Et		
Specialty Sheet	Tileguard:	,		Sq. Ft	
Membranes:	:			Sq. Ft.	
Tapes:	606 Tape:			LF.	
				LF.	
	Detail Tape WRM:			LF.	
				LF	
Misc:	6" Poly Covers:			Each	
Balco	nyguard Outside Corner Boot:			Each	
	US Outside Corner Boot:			Each	
	US Inside Corner Boot:			Each	
	US Pit Top Corner Boot:			Each	
	Totalflow End Outlet			Each	
	Total Flow Tee Outlet			Each	
0. Surfaces / Substrate	rs that Products were applied t	0:			
Concrete	CMU Block	Gypsum Sheathing	Other		
ICF	OSB	Plywood	Sheathing O	Other	
<i>Ia. Installation</i> <i>Completion Date:</i>	DATE IS REQUIRED	11b. Substantial	DATE IS REQUIRED only when a A copy of the specification must account of the specification must account of the specification of the spe	a specification states suc	h
2. Specification Requirement:		of the project specificatio	on must accompany this comp pecification with your applica	oleted warranty a	
	Material Warranty Only:			5 Year	
			age/protection board MUST be		
	Please contact your Polyguard Produ	ucts Technical Service Representat	ive when a special term warranty may	be needed.	-
	No special term application or warr	anty will be issued without prior a	pproval by Architectural Division Man	iagement.	
4. Email Address for Warranty Issuance:	E-mail Address:				
5 Standard			essories & drainage board have been nic signature for purposes of this fo		t.
5. Signature:					
5. Signature:	Completed by:				

The completed Warranty Application & Specification must be submitted to <a href="mailto:archtech@polyguard.com">archtech@polyguard.com</a> Any missing information or incomplete application will delay processing the request. Incomplete applications will be returned. Please allow Polyguard 14 business days to process your completed warranty application.