





POLYGUARD POLYFLOW 18 MOLDED SHEET DRAIN AS REQUIRED


POLYFLOW 15 / 15P MOLDED SHEET DRAIN FABRIC FACING RETENTION SYSTEM

TEMPORARY FORM (REMOVE FOR TIE IN)

MINIMUM 90 MILS OF POLYGUARD DETAIL SEALANT __ PW OR POLYGUARD LM-95 EXTENDED A MINIMUM OF 1/2" TO EACH SIDE OF THE TERMINAL EDGE

RETENTION SYSTEM - TIMBER LAGGING SHOWN - BY OTHERS

POLYGUARD BLINDSIDE
MEMBRANE APPLIED OVER
POLYGUARD 606 TAPE PREPARE FABRIC OF
POLYGUARD BLINDSIDE
MEMBRANE WITH POLYGUARD
650 LT LIQUID ADHESIVE OR
POLYGUARD CALIFORNIA
SEALANT AT A RATE OF 50 - 75
SF/GAL




POLYGUARD 650 MEMBRANE OR POLYGUARD PRM APPLIED TO SUBSTRATE PREPARED WITH POLYGUARD 650 LT LIQUID ADHESIVE OR POLYGUARD CALIFORNIA SEALANT AT A RATE OF 250 - 300 SF/GAL AND ONTO FILM SIDE OF POLYGUARD BLINDSIDE MEMBRANE

POLYGUARD DETAIL TAPE APPLIED TO SUBSTRATE PREPARED WITH POLYGUARD 650 LT LIQUID ADHESIVE OR POLYGUARD CALIFORNIA SEALANT AT A RATE OF 250 - 300 SF/GAL

POLYGUARD 606 TAPE APPLIED TO SUBSTRATE PREPARED WITH POLYGUARD 650 LT LIQUID ADHESIVE OR POLYGUARD CALIFORNIA SEALANT AT A RATE OF 250 - 300 SF/GAL

WATERSTOP BY OTHERS

CONCRETE WALL OR SHOTCRETE WHEN NOT IN WATER TABLE - BY OTHERS -CONSULT POLYGUARD IF IN WATER TABLE



(BS12)

SECTION @ TIE IN TO 650 / PRM MEMBRANE

Polyguard Products, Inc. P.O. Box 755 - Ennis, TX 75120 Phone: 214-515-5000 Web Site - www.polyguard.com ©POLYGUARD PRODUCTS, INC. MATERIAL SEPARATED FOR CLARITY

The information provided is based on data and knowledge considered to be true and accurate and is offered for the users' consideration, investigation and verification, but we do not warrant the results to be obtained. Please read all data sheets, statements, recommendations or suggestions in conjunction with our conditions of sale, which apply to all goods supplied by users.

NOT TO SCALE

EFFECTIVE DATE:
07/15/2024

SUPERCEDES:

10/01/2022