

HPD UNIQUE IDENTIFIER: 309663761408

CLASSIFICATION: 07 25 00 Weather Barriers

PRODUCT DESCRIPTION: TRM UV2-40 is a 40-mil, non-structural pest barrier which, when properly constructed as part of the building envelope, acts as a barrier to all insects. TRM UV2-40 is a strong, pliable, self-adhesive sheet consisting of a 4-mil high density polyethylene film with a top protective layer of aluminum bonded to 36 mils of sealant. It is wound on a disposable treated release sheet.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and screening status (Characterized, Screened, Identified).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

TRM UV2-40 [ASPHALT LT-1 | CAN | MAM | GEN LIMESTONE BM-3dg DISTILLATES, PETROLEUM, PETROLEUM RESIDUES VACUUM LT-1 | CAN | PBT | MUL | DEV | MAM RESIDUES, PETROLEUM, VACUUM LT-UNK | CAN STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE) LT-UNK POLYETHYLENE LT-UNK BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE LT-UNK QUARTZ BM-1 | CAN | MAM | GEN HYDROGEN SULFIDE LT-P1 | END | MUL | MAM | AQU | PHY | EYE UNDISCLOSED LT-1 | PBT | CAN]

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, BM-1, LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - Per GHS SDS] threshold to act as antimicrobials.

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A
VOC content: VOC content data is not applicable to this product category.

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-11-27
PUBLISHED DATE: 2024-11-27
EXPIRY DATE: 2027-11-27

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

TRM UV2-40

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Reviewed raw material SDS for listing of impurities and residuals.

OTHER PRODUCT NOTES: No additional information.

ASPHALT

ID: 8052-42-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-11-27 7:50:12**

%: **53.0000 - 57.0000**

GreenScreen: **LT-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-11-27 7:50:12**

%: **10.0000 - 20.0000**

GreenScreen: **BM-3dg**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|----------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: | | |

DISTILLATES, PETROLEUM, PETROLEUM RESIDUES VACUUM

ID: **68955-27-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-27 7:50:13**

%: **1.0000 - 10.0000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|---|--|
| CAN | EU - Annex VI CMRs | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence |
| PBT | EC - CEPA DSL | Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms) |
| PBT | EC - CEPA DSL | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| CAN | GHS - Australia | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B] |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B] |
| DEV | GHS - Australia | H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2] |
| CAN | EU - REACH Annex XVII CMRs | Carcinogens: Category 1B |
| MAM | GHS - Australia | H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|---|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP11) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products |

SUBSTANCE NOTES: Natural occurring component of asphalt.

RESIDUES, PETROLEUM, VACUUM

ID: 64741-56-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-27 7:50:13**

%: **1.0000 - 10.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|--|
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Natural occurring component of asphalt.

STYRENE BUTADIENE RUBBER (BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE)

ID: 9003-55-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-27 7:50:14**

%: **4.0000 - 10.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--|
| None found | | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: | | |

POLYETHYLENE

ID: **9002-88-4**

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-11-27 7:50:12 | | |
|--|----------------------------|--|-----------------|--|
| #: 5.0000 - 10.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Structure component |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |
| SUBSTANCE NOTES: Film layer | | | | |

BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE

ID: **25038-32-8**

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-11-27 7:50:13 | | |
|--|----------------------------|--|-----------------|--|
| #: 2.0000 - 6.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Polymer species |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |
| SUBSTANCE NOTES: | | | | |

QUARTZ

ID: **14808-60-7**

| | | | | |
|--|--------------------------|--|-----------------|--|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-11-27 7:50:13 | | |
| #: 0.0000 - 1.0000 | GreenScreen: BM-1 | RC: None | NANO: No | SUBSTANCE ROLE: Impurity/Residual |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B] |
| CAN | GHS - New Zealand | Carcinogenicity category 1 |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Natural occurring component of Calcium Carbonate/limestone

HYDROGEN SULFIDE

ID: 7783-06-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-11-27 7:50:14**

%: **0.0000 - 0.1000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|---|--------------------------------|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| MAM | US EPA - EPCRA Extremely Hazardous Substances | Extremely Hazardous Substances |

| | | |
|-----|---|---|
| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| PHY | EU - GHS (H-Statements) Annex 6 Table 3-1 | H220 - Extremely flammable gas [Flammable gases - Category 1] |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| MAM | GHS - New Zealand | Acute inhalation toxicity category 2 |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - acute category 1 |
| AQU | GHS - Japan | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Japan | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 1 |
| AQU | GHS - Korea | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| EYE | GHS - Korea | H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2] |
| MAM | Québec CSST - WHMIS 1988 | Class D1A - Very toxic material causing immediate and serious toxic effects |
| MAM | GHS - Korea | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2] |
| PHY | GHS - Korea | H220 - Extremely flammable gas [Flammable gases - Category 1] |
| PHY | Québec CSST - WHMIS 1988 | Class B1 - Flammable gases |
| MAM | GHS - Japan | H330 - Fatal if inhaled [Acute toxicity (inhalation: gas) - Category 2] |
| PHY | GHS - Japan | H220 - Extremely flammable gas [Flammable gases - Category 1] |
| MAM | GHS - Australia | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| EYE | GHS - Japan | H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A] |
| AQU | GHS - Malaysia | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Australia | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| PHY | GHS - New Zealand | Flammable gas category 1A |
| PHY | GHS - Malaysia | H220 - Extremely flammable gas [Flammable gases - Category 1] |

| | | |
|--|----------------------|---|
| MAM | GHS - Malaysia | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| PHY | GHS - Australia | H220 - Extremely flammable gas [Flammable gases - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: Natural occurring component of asphalt. | | |

UNDISCLOSED

ID: **Undisclosed**

| | | |
|--|---|--|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-11-27 7:50:14 |
| %: 0.0000 - 0.1000 | GreenScreen: LT-1 | RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
| PBT | OSPAR - Priority PBTs & EDs & equivalent concern | PBT - Chemical for Priority Action |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CAN | US NIH - Report on Carcinogens | Reasonably Anticipated to be Human Carcinogen |
| PBT | WA DoE - PBT | PBT |
| PBT | US EPA - Toxics Release Inventory PBTs | PBT |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | International Living Future Institute (ILFI) | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products |
| SUBSTANCE NOTES: Natural occurring component of asphalt. | | |

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | N/A | |
|-------------------------------------|---------------------------------|------------------------|
| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2021-07-22 00:00:00 | CERTIFIER OR LAB: None |
| APPLICABLE FACILITIES: All | EXPIRY DATE: | |
| CERTIFICATE URL: | | |
| CERTIFICATION AND COMPLIANCE NOTES: | | |

| VOC CONTENT | VOC content data is not applicable to this product category. | |
|--|--|------------------------|
| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2021-07-22 00:00:00 | CERTIFIER OR LAB: None |
| APPLICABLE FACILITIES: All | EXPIRY DATE: | |
| CERTIFICATE URL: | | |
| CERTIFICATION AND COMPLIANCE NOTES: VOC content data is not applicable to this product category. | | |

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

DETAIL SEALANT PW™

MANUFACTURER (OR GENERIC): **Generic**

HPD URL: <https://hpdrepository.hpd-collaborative.org/Pages/Results.aspx#k=polyguard>

ACCESSORY TYPE: **Other**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Detail Sealant PW™ is used to address the critical areas of terminations, transitions and penetrations. Polyguard Detail Sealant is a solvent free, non-isocyanate adhesive sealant which is low VOC/HAPS free.

650 LT LIQUID ADHESIVE

MANUFACTURER (OR GENERIC): **Polyguard Products**

HPD URL: <https://hpdrepository.hpd-collaborative.org/Pages/Results.aspx#k=polyguard>

ACCESSORY TYPE: **Adhesive**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: All substrates must be prepared prior to application of membrane. Apply to a clean, dry, dust free, and frost-free surface. Apply by roller or brush. Apply Polyguard® 650 LT Liquid Adhesive per manufacturer's instructions. Allow to cure per manufacturer's directions.

CALIFORNIA SEALANT

MANUFACTURER (OR GENERIC): **Polyguard Products**

HPD URL: <https://hpdrepository.hpd-collaborative.org/Pages/Results.aspx#k=polyguard>

ACCESSORY TYPE: **Other**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: All substrates must be prepared prior to application of membrane. Apply to a clean, dry, dust free, and frost-free surface. Apply by roller or brush. Apply Polyguard® California Sealant per manufacturer's instructions. Allow to cure per manufacturer's directions.

650 WB LIQUID ADHESIVE

MANUFACTURER (OR GENERIC): **Polyguard Products**

HPD URL: <https://hpdrepository.hpd-collaborative.org/Pages/Results.aspx#k=polyguard>

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: All substrates must be prepared prior to application of membrane. Apply to a clean, dry, dust free, and frost-free surface. Apply by roller or brush. Apply the Polyguard® 650 WB Liquid Adhesive per manufacture directions. Allow to cure per manufacturer's directions.

Section 5: General Notes

No additional general notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: **Polyguard Products**
 ADDRESS: **3801 S I 45**
Ennis, TX 75119
 COUNTRY: **United States**

WEBSITE: **www.Polyguard.com**
 CONTACT NAME: **Chris Rogalski**
 TITLE: **Quality Mgr.**
 PHONE: **214-515-5000**
 EMAIL: **Polyguard@polyguard.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

