

UNDERSEAL® CRM® MEMBRANE

WATERPROOFING SYSTEM: BELOW-GRADE CHEMICAL RESISTANT SHEET MEMBRANE

Polyguard Underseal® CRM™

Underseal® CRM™ (Chemical Resistant Membrane) is a strong sheet membrane with multi-component, chemical resistant backing laminated to a thick layer of proprietary waterproofing adhesive compound integrated into a high-strength, nonwoven geotextile fabric. Total membrane thickness is factory controlled at 85 mils.

Check	Part Number	Unit Size	Units/pallet	Wt/unit
Polyguard Ultra CRM™	850CR	48" x 50' roll	20 rolls/pallet	98#/roll
Underseal® CRM™ System Components	Part Number	Unit Size	Units/pallet	Wt/unit
Fabric Tape	UNDERSEAL FABRIC TAPE	12" x 200' roll	24 rolls/pallet	64#/roll
CR™ Seam Tape	CR SEAM TAPE	4 – 10" x 200'rolls/ctn	24 ctns/pallet	58#/ctn
CR™ Liquid Membrane (A & B yields 1.5 Gallons)	CR LIQUID MEMBRANE-1.5 GA	2-gallon pail	64 pails/pallet	20#/pail
CR™ Sealant (A & B yields 3 Gallons)	CR SEALANT-3 GA	5-gallon pail	36 pails/pallet	30#/pail
CR™ Inside Corner Boot 12" X 12" X 12"	CR 12" INSIDE CORNER BOOT	10 pcs/ctn	N/A	N/A
CR™ Outside Corner Boot 6" X 6" X 6"	CR 6" PREFABRICATED BOOTS	10 pcs/ctn	N/A	N/A
CR™ Pit Top Corner Boot 6" X 6" X 6"	CR 6" PREFABRICATED BOOTS	10 pcs/ctn	N/A	N/A
Possible Accessories:	Part Number	Unit Size	Units/pallet	Wt/unit
Ultra CRM™	650L48CR	48" x 50' roll	25 rolls/pallet	75#/roll
Required Drainage Accessories:	Part Number	Unit Size	Units/pallet	Wt/unit
Polyflow [®] 15 (required for Underseal [®] CRM [™] vertical application)	POLYFLOW15	4' x 50' roll	7 rolls/pallet	39#/roll
Polyflow [®] 18 (required for Undersea [®] CRM [™] horizontal application)	POLYFLOW18	4' x 50' roll	7 rolls/pallet	50#/roll

Weights listed are estimates

DISCLAIMER: The information contained in this document is based on data and knowledge considered to be true and accurate at time of printing and is offered for the users' consideration, investigation and verification. Polyguard Products, Inc. cannot be held liable for errors made as a result of information herein. Changes and modifications can be made to this document without prior notice. No statement, recommendation or suggestion is intended for use which would infringe on patents or copyrights held by Polyguard Products, Inc.

