

## Safety Data Sheet

### Section 1. Identification

**GHS product Identifier** Underseal® Pit Top Corner Boot  
**Other means of identification** Not available

**Relevant identified used of the substance or mixtures and uses advised against**

The Underseal® Pit Top Corner Boot is a 60-mil combination of rubberized asphalt bonded to polyethylene. The adhesive surface is covered with a release liner which will be removed prior to application of the Underslab Membrane. Apply the Underseal® Pit Top Corner Boot in the corner to reinforce and seal the Underseal® Underslab Membrane. This preformed corner boot conforms to the film side of the Underseal® Underslab Membrane to seal any possible pinhole conditions.

**Supplier's details** Polyguard Products, Inc  
 4101 South Interstate 45  
 Ennis, TX 75119  
 Tel: (214) 515-5000  
**Emergency telephone number) with hours of operation)** CHEMTREC, US 1-800-424-9300 International 1-703-527-3887 (24/7)

### Section 2. Hazards Identification

**OSHA/HCS status** While this material is not considered hazardous by the OSHA Hazardous Communications Standard ( 49CFR1910.1200) , this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

**Classification of the substance or mixture** Not classified

**This product is manufactured as an article under the United States Hazard Communication System and is exempted from the regulatory requirements under HCS.**

**GHS label elements**

**Signal word** No signal word  
**Hazard statement** No known significant effects or critical hazards.  
**Precautionary statements**  
**Prevention** Not applicable  
**Response** Not applicable  
**Storage** Not applicable  
**Disposal** Not applicable  
**Hazards not otherwise classified** None known

### Section 3. Composition/Information on Ingredients

**Substance/Mixture** Mixture  
**Other means of identification** Not available

Ingredient name	%	CAS #
Asphalts	60-80	8052-42-4
Distillates( petroleum), petroleum residues vaccum	60-80	68955-27-1
Hydrogen Sulfide	0.001-0.01	7783-06-4
Limestone	15- 20	1317-65-3
Crystalline Silica, quartz (inpurity)	0.5- 1.5	14808-60-7

The exact percentage (concentration) in the composition has been withheld as a trade secret.  
 Occupational exposure limits, if available are listed in section 8.  
 None of the components of this article are in a respirable state.

## Section 4. First Aid Measures

### Description of necessary first aid measures.

#### Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if symptoms occur.

#### Inhalation

Because of the nature of this product, inhalation is not a route of exposure.

#### Skin contact

Material is in a solid form. If skin contact, wash area with soap and water. Get medical attention if skin irritation occurs.

#### Ingestion

Ingestion is not a route of exposure.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

#### Eye contact

No known significant effects or critical hazards

#### Inhalation

No known significant effects or critical hazards

#### Skin contact

No known significant effects or critical hazards

#### Ingestion

No known significant effects or critical hazards

### Over-exposure signs/symptoms

#### Eye contact

No known significant effects or critical hazards

#### Inhalation

No known significant effects or critical hazards

#### Skin contact

No known significant effects or critical hazards

#### Ingestion

No known significant effects or critical hazards

### Indication of immediate medical attention and special treatment needed, if necessary.

#### Notes to physician:

Treat symptomatically.

#### Specific treatments

No specific treatment

#### Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training.

## Section 5. Fire-Fighting Measures

### Extinguishing media

#### Suitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

#### Unsuitable extinguishing media

None known

#### Specific hazards arising from the chemical

No specific fire or explosion hazard.

#### Hazardous thermal decomposition products

Decomposition products may include the following materials:

Carbon Dioxide

Carbon Monoxide

Sulfur oxides

Low MW hydrocarbons

#### Special protective equipment

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in a positive pressure mode.

#### Special protective actions for fire fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risks or without suitable training.

## Section 6. Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures.

#### For non emergency personal

Put on appropriate personal protective equipment.

#### For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in “For non-emergency personnel.”

#### Enviromental precautions

Material will not spill.

### Methods and materials for containment and cleaning up

#### Spill

Due to the physical state of this material, spills are not possible.

## Section 7. Handling and Storage

### Precautions for safe handling

#### Protective measures

Put on appropriate personal protective equipment (see Section 8).

#### Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See section 8 for additional information on hygiene measures.

#### Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry cool and well-ventilated area away from incompatible materials (see section 10) and food and drink.

## Section 8. Exposure Controls/Personal Protection

### Occupational exposure limits

Ingredient name	Exposure limits
Asphalt	<p><b>NIOSH REL (United States, 10/2016)</b>            CEIL: 5 mg/m<sup>3</sup> 15 minutes. Form: fume  <b>ACGIH TLV ( United States, 3/2019)</b>            TWA: 0.5 mg/m<sup>3</sup> , (as benzene soluble aerosol) 8 hours. Form: inhalable fraction.            None</p>
Distillates( petroleum), petroleum residues vaccum	
Hydrogen Sulfide	<p><b>ACGIH TLV ( United States, 3/2018)</b>            TWA: 1 ppm 8 hours            STEL: 5 ppm 15 minutes  <b>OSHA PEL Z2 ( United States, 2/2013)</b>            CEIL:20 ppm            AMP: 50 ppm 10 minutes.  <b>NIOSH REL (United States, 10/2016)</b>            CEIL: 15 mg/m<sup>3</sup> 10 minutes.</p>
Limestone	<p><b>NIOSH REL (United States, 10/2016)</b>            TWA: 10 mg/m<sup>3</sup> (total) TWA 5 mg/m<sup>3</sup> (respirable)  <b>OSHA PEL ( United States, 2/2013)</b>            TWA: 15 mg/m<sup>3</sup> (total) TWA 5 mg/m<sup>3</sup> ( respirable)</p>
Crystalline Silica, quartz (inpurity)	<p><b>NIOSH REL (United States, 10/2016)</b>            Ca TWA: 0.05 mg/m<sup>3</sup></p>

## Section 8. Exposure Controls/Personal Protection

<b>Appropriate engineering controls</b>	No special ventilation requirements. Good ventilation should be sufficient to control worker exposure to airborne contaminants.
<b>Environmental exposure controls</b>	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
<b>Hygiene measure</b>	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.
<b>Eye/face protection</b>	Safety eyewear complying with an approved standard should be used when risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases and dusts.
<b><u>Skin Protection</u></b>	
<b>Hand protection</b>	Chemical- resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
<b>Body protection</b>	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
<b>Other skin protection</b>	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
<b>Respiratory protection</b>	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and Chemical Properties

<b><u>Appearance</u></b>	
<b>Physical state</b>	Solid
<b>Color</b>	Black/White
<b>Odor</b>	Asphaltic (slight)
<b>Odor threshold</b>	Not available
<b>pH</b>	Not applicable
<b>Melting point</b>	Not available
<b>Boiling point</b>	Not applicable
<b>Flash Point</b>	Not determined
<b>Evaporation rate:</b>	Not applicable
<b>Flammability (solid, gas)</b>	Not applicable
<b>Lower &amp; upper explosive (flammable) limits</b>	Not applicable
<b>Vapor density</b>	Not applicable
<b>Vapor pressure</b>	Not applicable
<b>Relative density</b>	1.09
<b>Solubility</b>	Insoluble in water
<b>Partition coefficient: n- octanol/water</b>	Not available
<b>Auto- ignition temperature</b>	Not applicable
<b>Decomposition temperature</b>	Not applicable
<b>Viscosity</b>	Not applicable
<b>VOC</b>	0 g/l

## Section 10. Stability and Reactivity

<b>Reactivity</b>	No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability</b>	This product is stable.
<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reaction will not occur.
<b>Conditions to avoid:</b>	No specific data.
<b>Incompatible materials</b>	Reactive or incompatible with the following materials: Oxidizing materials
<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological Information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Asphalt	LD50 Oral	Rat	>5000 mg/kg	-
Hydrogen Sulfide	LC50 Inhalation Gas	Rat	444 ppm	4 hours
	LC50 Inhalation Vapor	Rat	700 mg/m <sup>3</sup>	4 hours
Limestone	LD50 Oral	Rat	6450 mg/kg	-
Crystalline Silica, quartz (inpurity)	LD50 Oral	Rat Mouse	500 mg/kg	-

#### Irritation/Corrosion

There is no data available

#### Sensitization

There is no data available

#### Mutagenicity

There is no data available

#### Carcinogenicity

#### Classification

Product/ingredient name	OSHA	IARC	NTP
Asphalt	-	2B	-
Crystalline Silica, quartz (inpurity)	-	1	-

#### Reproductive toxicity

There is no data available

#### Teratogenicity

There is no data available

#### Specific target organ toxicity (single exposure)

There is no data available

#### Specific target organ toxicity (repeated exposure)

There is no data available

#### Aspiration hazard

There is no data available

#### Information on the likely routes of exposure

Routes of entry anticipated: dermal contact

Routes of entry not anticipated: Oral, inhalation, ingestion

#### Potential acute health effects

##### Eye contact

No known significant effects or critical hazards

##### Inhalation

No known significant effects or critical hazards

##### Skin contact

No known significant effects or critical hazards

##### Ingestion

No known significant effects or critical hazards

#### Symptoms related to the physical, chemical and toxicological characteristics

##### Eye contact

No known significant effects or critical hazards

##### Inhalation

No known significant effects or critical hazards

##### Skin contact

No known significant effects or critical hazards

##### Ingestion

No known significant effects or critical hazards

## Section 11. Toxicological Information

### Delayed and immediate effects and chronic effects from short and long term exposure

#### Short term exposure

Potential immediate effects

No known significant effects or critical hazards

Potential delayed effects

No known significant effects or critical hazards

#### Long term exposure

Potential immediate effects

No known significant effects or critical hazards

Potential delayed effects

No known significant effects or critical hazards

#### Potential chronic health effects

General

No known significant effects or critical hazards

Carcinogenicity

No known significant effects or critical hazards

Mutagenicity

No known significant effects or critical hazards

Teratogenicity

No known significant effects or critical hazards

Developmental effects

No known significant effects or critical hazards

Fertility effects

No known significant effects or critical hazards

### Numerical measures of toxicity

#### Acute toxicity estimates

There is no data available

## Section 12. Ecological Information

### Toxicity

Product/ingredient name	Result	Species	Exposure
Hydrogen Sulfide	Acute EC50 62 µg/L Fresh water	Crustaceans-Gammarus pseudolimnaeus	2 days
	Acute LC50 2 µg/L Fresh water	Fish- Coregonus clupeaformis- Yolk Sac fry	96 hours

### Persistence and degradability

There is no data available

### Bioaccumulative potential

There is no data available

### Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>)

There is no data available.

### Other adverse effects

No known significant effects or critical hazards

## Section 13. Disposal Considerations

### Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

## Section 14. Transportation Information

**AERG:** Not applicable

**Regulatory**

**Information:**

**DOT/TDG/IMDG/IATA** Not regulated

## Section 15. Regulatory Information

<b>U.S. Federal regulations:</b>	<b>TSCA 8(a) CDR Exempt/Partial exemption:</b> Not determined
<b>Clean Air Act Section 112 (b) Hazardous air pollutants (HAPs)</b>	<b>United States inventory (TSCA 8 b):</b> all components are listed or exempted Not listed
<b>Clean Air Act (CAA) Section 602 Class I Substances</b>	Not listed
<b>Clean Air Act (CAA) Section 602 Class II Substances</b>	Not listed
<b>DEA List I Chemicals (Precursor chemicals)</b>	Not listed
<b>DEA List II Chemicals (Essential Chemicals)</b>	Not listed
<b>SARA 302/304</b>	
<b><u>Composition/information on ingredients</u></b>	
<b>SARA 304 RQ</b>	Not applicable
<b>SARA 311/312</b>	Not applicable
<b>SARA 313</b>	Not applicable
<b><u>State regulations</u></b>	
<b>Massachusetts</b>	The following components are listed: Petroleum asphalt
<b>New Jersey</b>	The following components are listed: Petroleum asphalt
<b>New York</b>	None of the components are listed
<b>Pennsylvania</b>	The following components are listed: Petroleum asphalt
<b><u>California Prop.65</u></b>	None of the components are listed on the Prob 65 list dated 1-3-2020.

## 16. Other Information

<b>Date of revision:</b>	<b>5-13-2020</b>
<b>Date of previous issue</b>	<b>N/A</b>
<b>Revisions:</b>	<b>New SDS</b>
<b>Version</b>	<b>1</b>
<b>Prepared by</b>	<b>C. Rogalski</b>

**Notice to reader:** To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.