

Safety Data Sheet

Section 1. Identification

| | |
|--------------------------------------|---------------------------|
| GHS product Identifier | RD-6® UVO Overcoat |
| Product code | Not available |
| Other means of identification | Not available |
| Product code | Not available. |
| Product type | Liquid. |

Identified uses

RD-6® Overcoat is a single component, low VOC resistant, water-based liquid coating. It protects against degradation of the RD-6® anticorrosion coating caused by harmful UV rays resulting from direct exposure to sunlight.

| | |
|---------------------------|---|
| Supplier's details | Polyguard Products, Inc. 3801 S I 45 Ennis, TX 75119 Tel: (214) 515-5000 |
|---------------------------|---|

| | |
|---|--|
| Emergency telephone number (with hours of operation) | CHEMTREC, U.S.: 1-800-42-9300, International: +1-703-527-3887 24 hrs./ 7 days |
|---|--|

Section 2. Hazards Identification

| | |
|------------------------|--|
| OSHA/HCS status | This material is considered hazardous by the OSHA Hazardous Communications Standard (49CFR1910.1200) . |
|------------------------|--|

| | |
|---|--|
| Classification of the substance or mixture | Carcinogenicity - Category 1 Specific target organ toxicity (repeated exposure) – Category 1 Aquatic hazard (acute) – Category 2 Aquatic hazard (long-term) – Category 2 |
|---|--|

GHS label elements
Hazard pictogram



| | |
|-------------------------|--|
| Signal word | Danger |
| Hazard statement | H350-May cause cancer. H372- Causes damage to organs through prolonged or repeated exposure (respiratory tract) H411- Toxic to aquatic life with long lasting effects. |

| | |
|---|--|
| <u>Precautionary statements</u> Prevention | P201- Obtain special instructions before use. P202- Do not handle until all safety precautions have been read and understood. P280- Wear protective gloves. Wear eye or face protection. Wear protective clothing. P273- Avoid release to the environment. P260- Do not breathe vapor. P270- Do not eat, drink or smoke when using this product. P264- Wash hands thoroughly after handling. P391 – Collect spillage. P308 + P313- If exposed or concerned: Get medical advice or attention. |
| Response | |

Section 2. Hazards Identification

| | |
|---|---|
| Storage | P405- Stored locked up. |
| Disposal | P501-Dispose of contents and container in accordance with all local, regional, national, and international regulations. |
| Hazards not otherwise classified | None known |

Section 3. Composition/Information on Ingredients

| | |
|--|----------------|
| Substance/Mixture | Mixture |
| Other means of identification | Not available |
| <u>CAS number/other identifiers</u> | |
| CAS number | Not applicable |
| Product code | Not available |

| Ingredient name | % | CAS Number |
|----------------------------------|-----------|-------------------|
| Titanium Dioxide | 10 – 30 | 13463-67-7 |
| Limestone | 10 – 30 | 1317-65-3 |
| Crystalline silica, quartz | 0.5 – 1.5 | 14808-60-7 |
| Diuron | < 0.1 | 330-54-1 |
| Carbendazim | < 0.1 | 10606-21-7 |
| 3-Iodo-2-propynyl butylcarbamate | < 0.1 | 55406-53-6 |

The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with paragraph (i) of 1910.1200.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentration applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of necessary first aid measures.

| | |
|---------------------|--|
| Eye contact | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention. |
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respirations or oxygen by trained personnel. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt, or waistband. |
| Skin contact | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. |

Section 4. First Aid Measures

Indication of immediate medical attention and special treatment needed, if necessary.

Ingestion

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at a rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that the vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt, or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

No known significant effects or critical hazards

Inhalation

No known significant effects or critical hazards

Skin contact

No known significant effects or critical hazards

Ingestion

No known significant effects or critical hazards

Over-exposure signs/symptoms

Eye contact

No known significant effects or critical hazards

Inhalation

No known significant effects or critical hazards

Skin contact

No known significant effects or critical hazards

Ingestion

No known significant effects or critical hazards

Indication of immediate medical attention and special treatment needed, if necessary.

Notes to physician:

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

No specific treatment

Protection of first aiders:

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous for the person providing aid to give mouth to mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Section 5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

This material is toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal

Decomposition products may include the following materials: Carbon dioxide, carbon monoxide, metal oxide/oxides.

decomposition products

Special protective actions for fire-fighters

Properly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risks or without suitable training.

Special protective actions for fire fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal precautions, protective equipment, and emergency procedures.

For non emergency personal No action shall be taken involving any personal risks or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions Avoid dispersal of spilled material and runoff and contact with the soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if releases in large quantities. Collect spillage.

Methods and materials for containment and cleaning up

Small Spill Stop leak if without risk. Move containers from spill area. Dispose of via licensed waste disposal contractor.

Large spill Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements, or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g., sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (See Section 8). Avoid exposure-obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation, or wear appropriate respirator. Keep in original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retaining product residue can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking, and smoking should be prohibited in areas where material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. See section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready to use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See section 10 for incompatible materials before handling or use.

Section 8. Exposure Controls/Personal Protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|----------------------------------|--|
| Titanium dioxide | ACGIH TLV (United states, 3/2019) TWA: 10 mg/m ³ 8 hours |
| Limestone | OSHA PEL (United States, 5/2018). TWA: 15 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 5/2018). TWA: 5 mg/m ³ 8 hours. Form: respirable fraction TWA: 10 mg/m ³ 8 hours. Form: total dust NIOSH REL (United States, 10/2013). TWA: 5 mg/m ³ 10 hours Form: respirable fraction TWA: 10 mg/m ³ 10 hours Form: Total |
| Crystalline silica, quartz | ACGIH TLV (United states, 3/2019) TWA: 0.025 mg/m ³ 10 hours Form: respirable fraction NIOSH REL (United States, 10/2016). TWA: 0.05 mg/m ³ 10 hours Form: respirable dust OSHA PEL Z3 (United States, 6/2016). TWA: 250 mppcf/ (%SiO ₂ +5) 8 hours Form: respirable TWA: 10 mg/m ³ / (%SiO ₂ + 2) 8 hours. Form: respirable OSHA PEL (United States, 5/2018). TWA: 50 µg/m ³ 8 hours. Form: respirable dust |
| Diuron | ACGIH TLV (United states, 3/2019) TWA: 10 mg/m ³ 8 hours NIOSH REL (United States, 10/2013). TWA: 10 mg/m ³ 10 hours |
| Carbendazim | None |
| 3-Iodo-2-propynyl butylcarbamate | None |

Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor, or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory legislation.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Hygiene measure:

Wash hands, forearms, and face thoroughly after handling chemical products, before eating, smoking, and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when risk assessment indicates this is necessary to avoid exposure to liquid splashes. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Wear safety glasses with side shields.

Skin Protection Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure Controls/Personal Protection

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used in accordance to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and Chemical Properties

Appearance

Physical state

Liquid

Color

White

Odor

Not available

Odor threshold

Not available

pH

7 – 10 [conc. (%w/w): 100%]

Melting point

Not available

Boiling point

> 100°C (> 212°F)

Flash Point

>93.3 °C (> 200 ° F) Closed Cup

Evaporation rate:

Not available

Flammability (solid, gas)

Not available

Lower & upper explosive

Lower: Not available

(flammable) limits

Upper: Not available

Vapor density

Not available

Vapor pressure

Not available

Relative density

1.4

Solubility

Soluble in water

Partition coefficient: n-

Not available

octanol/water

Auto- ignition temperature

Not available

Decomposition temperature

Not available

Viscosity

Not available

VOC

< 60 g/l Mixed components

Section 10. Stability and Reactivity

Reactivity

No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

This product is stable.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid:

No specific date.

Incompatible materials

Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological Information

Information on likely routes of exposure

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|----------------------------------|-------------------------|---------|-------------|----------|
| Diuron | LD ₅₀ Dermal | Rat | >5 g/kg | - |
| | LD ₅₀ Oral | Rat | 1 g/kg | - |
| Carbendazim | LD ₅₀ Dermal | Rabbit | 8500 mg/kg | - |
| | LD ₅₀ Dermal | Rat | 2 g/kg | - |
| | LD ₅₀ Oral | Rat | >5050 mg/kg | - |
| 3-iodo-2-propynyl butylcarbamate | LD ₅₀ Oral | Rat | 1470 mg/kg | - |

Irritation/corrosion

There is no data available.

Sensitization

There is no data available.

Mutagenicity

There is no data available.

Carcinogenicity

Classification

| Product /ingredient name | OSHA | IARC | NTP |
|--------------------------|------|------|--------------------------------|
| Titanium dioxide | - | 2B | - |
| Crystalline silica | - | 1 | Known to be a human carcinogen |

Reproductive toxicity

There is no data available.

Teratogenicity

There is no data available.

Specific target organ toxicity (single exposure)

There is no data available.

Specific target organ toxicity (repeated exposure)

| Name | Category | Route of exposure | Target organs |
|----------------------------------|------------|-------------------|-------------------|
| Crystalline silica | Category 1 | Inhalation | Respiratory tract |
| Diuron | Category 2 | - | - |
| 3-iodo-2-propynyl butylcarbamate | Category 1 | - | larynx |

Aspiration hazard

There is no data available.

Information on the likely routes of exposure

Oral, Dermal, and inhalation.

Potential acute health effects

Eye contact

No known significant effects or critical hazards

Inhalation

No known significant effects or critical hazards

Skin Contact

No known significant effects or critical hazards

Ingestion

No known significant effects or critical hazards

Section 11. Toxicological Information

Symptoms related to the physical, chemical, and toxicological characteristics

| | |
|--------------|--|
| Eye contact | No known significant effects or critical hazards |
| Inhalation | No known significant effects or critical hazards |
| Skin Contact | No known significant effects or critical hazards |
| Ingestion | No known significant effects or critical hazards |

Delayed and immediate effects and chronic effects from short- and long-term exposure

Short term exposure

| | |
|------------------------------------|--|
| Potential immediate effects | No known significant effects or critical hazards |
| Potential delayed effects | No known significant effects or critical hazards |

Long term exposure

| | |
|------------------------------------|--|
| Potential immediate effects | No known significant effects or critical hazards |
| Potential delayed effects | No known significant effects or critical hazards |

Potential chronic health effects

General

Causes damage to organs through prolonged or repeated exposure.

Carcinogenicity

May cause cancer. Risk of cancer depends on duration and level of exposure.

Mutagenicity

No known significant effects or critical hazards

Reproductive toxicity

No known significant effects or critical hazards

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts & mists) (mg/l) |
|----------------------------------|--------------|----------------|--------------------------|----------------------------|-----------------------------------|
| Diuron | 1000 | N/A | N/A | N/A | N/A |
| Carbendazim | N/A | 2000 | N/A | N/A | N/A |
| 3-iodo-2-propynyl butylcarbamate | 1470 | N/A | N/A | 3 | N/a |

Section 12. Ecological Information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|----------------------------|---|---|----------|
| Titanium dioxide Diuron | Acute LC ₅₀ >1000000 µg/L Marine water | Fish – Fundulus heteroclitus | 96 hours |
| | Acute EC ₅₀ 2.26 µg/l Marine water | Algae- Cocolithus huxleyi- Exponential growth phase | 72 hours |
| | Acute EC ₅₀ 0.0007 mg/l Fresh water | Algae-Pseudokirchneriella subcapitata | 96 hours |
| | Acute EC ₅₀ 0.005 mg/l Fresh water | Aquatic plants-Lemna sp. | 96 hours |
| | Acute EC ₅₀ 8.4 ppm Fresh water | Daphnia- Daphnia magna | 48 hours |
| | Acute IC ₅₀ 2.41 µg/l Marine water | Aquatic plants-Halodule uninervis | 72 hours |
| | Acute LC ₅₀ 380 µg/l Fresh water | Crustaceans- Gammarus lacustris | 48 hours |
| | Acute LC ₅₀ 500 µg/l Fresh water | Fish-Morone saxatilis- Larve | 96 hours |
| | Chronic EC 0.11 µg/l Marine water | Algae-Fragilaria capucina- Exponential growth phase | 96 hours |
| | Chronic NOEC 0.34 µg/l Marine water | Aquatic plants-Zostera muelleri | 72 hours |
| Chronic NOEC 26.4 ppb | Fish-Pimephales promelas | 60 days | |

Section 12. Ecological Information

| | | | |
|----------------------------------|---|--|----------|
| Carbendazim | Acute EC ₅₀ 19.0562 mg/l Fresh water | Algae-Scenedesmus acutus var. acutus | 96 hours |
| | Acute EC ₅₀ 20 µg/l Fresh water | Daphnia- Daphnia magna | 48 hours |
| 3-iodo-2-propynyl butylcarbamate | Acute LC ₅₀ 77 µg/l Fresh water | Crustaceans- Gammarus pulex-Juvenile (Fledging, Hatchling, Weanling) | 48 hours |
| | Acute LC ₅₀ 7 µg/l Fresh water | Fish-Ictalurus punctatus-yolk-sac fry | 96 hours |
| | Chronic EC ₁₀ 10 µg/l Fresh water | Crustaceans- Gammarus pulex-Adult | 21 days |
| | Chronic NOEC 3.1 ppb- Fresh water | Daphnia- daphnia magna | 21 days |
| | Acute LC ₅₀ 500 ppb Fresh water | Crustaceans-Hyalella azteca | 48 hours |
| | Acute LC ₅₀ 40 ppb Fresh water | Daphnia- Daphnia magna | 48 hours |
| | Acute LC ₅₀ 67 ppb Fresh water | Fish- Oncorhynchus mykiss- Juvenile (Fledging, Hatchling, Weanling) | 96 hours |
| | Chronic NOEC 8.4 ppb | Fish-Pimephales promelas | 35 days |

Persistence and degradability There is no data is available.

| Product/ingredient name | LogP _{ow} | BCF | Potential |
|-------------------------|--------------------|------|-----------|
| Diuron | 2.84 | 5.2 | low |
| Carbendazim | 1.52 | 2.51 | low |

Mobility in soil There is no data is available.

Other adverse effects No known significant effects or critical hazards.

Section 13. Disposal Considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recycled products via a licensed waste disposal contractor. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, water ways, drains and sewers.

Section 14. Transportation Information

| | DOT Classification | IMDG | IATA |
|--|---|---|---|
| UN Number | UN3082 | UN3082 | UN3082 |
| UN Proper Shipping Name | Environmentally Hazardous Substance, Liquid, N.O.S. (Diuron, carbendazim) | Environmentally Hazardous Substance, Liquid, N.O.S. (Diuron, carbendazim) | Environmentally Hazardous Substance, Liquid, N.O.S. (Diuron, carbendazim) |
| Transportation hazard class(es) | 9 | 9 | 9 |
| Packing Group | III | III | III |
| Environmental Hazard | Yes | Yes | Yes |

AERG: 171

Additional information

DOT Classification Non-bulk packaging of this product is regulated as a hazardous material. Small quantities of this product may be shipped under the limited quantity exemption. The marine pollutant mark is not required when transported on inland waterways in sizes of ≤ 5 L or ≤ 5 kg.

Section 15. Regulatory Information

| | |
|---|---|
| U.S. Federal regulations: | TSCA section 8 (a) PAIR: Diuron TSCA 8(a) CDR Exempt/Partial exemption: Not determined. Clean Water Act (CWA) 311: Diuron |
| Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) list | Listed |
| Clean Air Act Section 602 Class I Substance | Not listed |
| Clean Air Act Section 602 Class II Substance | Not listed |
| DEA List I Chemicals (Precursor Chemicals) | Not listed |
| SARA 302 Extremely hazardous substance | No products found. |
| SARA 304 RQ | Not applicable |
| SARA 311/312 | Carcinogenicity- Category 2 Specific Target Organ Toxicity (Repeated Exposure) – Category 1 |

Composition/information on ingredients

| Name | Percentage | Classification |
|--------------------|---------------------|---|
| Titanium dioxide | $\geq 10 - \leq 25$ | Carcinogenicity- Category 2 |
| Crystalline silica | $\geq 1 - \leq 3$ | Carcinogenicity- Category 1A Specific Target Organ Toxicity (Repeated Exposure) - Category 1 |

Section 15. Regulatory Information

State regulations

Massachusetts

The following components are listed: Titanium dioxide, Limestone, Crystalline silica.

New York

None of the components are listed.

New Jersey

The following components are listed: Titanium dioxide, Limestone, Crystalline silica.

Pennsylvania

The following components are listed: Titanium dioxide, Limestone, Crystalline silica.

California Prop 65



WARNING: This product can expose you to chemicals including (Titanium dioxide, Crystalline silica an Diuron), which are known to the State of California to cause cancer, and (*Methanol*), which is known to the State of California to cause birth defects or other reproductive harm. For more information, visit www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level |
|--------------------|---------------------------|---------------------------------|
| Titanium dioxide | - | - |
| Crystalline silica | - | - |
| Methanol | - | Yes |
| Diuron | - | - |

16. Other Information

Procedure used to derive the classification

| Classification | Justification |
|---|--------------------|
| Carcinogenicity- Category 1 | Calculation method |
| Specific Target Organ Toxicity (Repeated Exposure) - Category 1 | Calculation method |
| Aquatic Hazard (Acute)- Category 2 | Calculation method |
| Aquatic Hazard (Long-Term)- Category 2 | Calculation method |

Date of revision: 5/15/2024

Date of previous issue 1/15/2021

Revisions:

Section 1:

Change Company address.

Section 14

Update shipping information- regarding DOT shipments.

Version

2

Prepared by

C. Rogalski

Notice to the reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.